


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	66	(final or instantiable or ("can" with instantia\$9)) and (database with schema with design\$3) and (superclass or (super adj class) or childclass or (child\$3 adj class) or inherit\$5 or instantiat\$3) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:56
S2	59	((map or mapping) with Java) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:56
S3	6	((map or mapping) with ((Java with connect\$9) or JDBC)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:57
S4	7	(UML or (unified adj modeling)) and (XMI or (markup with language with meta with interchange)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:19
S5	106	(database with catalog) and (database with schema) and (@ad<"20010731") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 10:58
S6	56	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with database with (metadata or (meta adj data))) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/02 18:34
S7	17	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (metadata or (meta adj data) or schema)) and (XMI or (markup with language with meta with interchange)) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 12:16
S8	36	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with database with (metadata or (meta adj data) or schema)) same ((various\$ or plural\$5 or different) with (vendor or environment or platform or system))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 13:31
S9	77	(transform\$3 with (metadata or (meta adj data))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 13:27

S10	1	"20030028511"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 06:35
S11	2	"6658425".pn. or "6023578".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 21:54
S12	1671	(database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 09:03
S13	186	(database with schema) and (abstract with class) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 21:56
S14	62	(database with schema with design\$3) and (abstract with (class or data)) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/30 22:21
S15	55	(database with schema with design\$3) and (abstract with (class or data)) and (superclass or (super adj class) or childclass or (child\$3 adj class) or inherit\$5 or instantiat\$3) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/01 08:22
S16	0	"20050060332" or "20020138819"	USPAT	OR	OFF	2005/06/02 18:30
S17	2	"20050060332" or "20020138819"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:12
S18	164	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/05 21:16
S19	0	((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data))) and (@ad<"20010731") and (shar\$3 with relation\$3 with database with type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:45
S20	9	(shar\$3 with relation\$3 with database with type) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:45
S21	113	(UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:52

S22	44	(UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731") and (abstract near3 class) and (sql or (structured adj query adj language))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/03 17:53
S23	7708	(707/100 or 707/101 or 707/102 or 707/103R or 707/103Y or 707/103x or 707/103Z).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/03 12:11
S24	34	S23 and ((transform\$3 or translat\$3 or convert\$3 or map or mapping) with (first or second or another or differen\$7) with (metadata or (meta adj data))) and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:17
S25	9	S23 and (UML or (unified adj modeling)) and (database with schema) and (@ad<"20010731") and (abstract near3 class) and (sql or (structured adj query adj language))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/06/05 21:17
S26	11559	(707/100 or 707/101 or 707/102 or 707/103R or 707/103Y or 707/103x or 707/103Z or 707/104.1).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/03 12:11
S27	21	(sluiman with harm).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:12
S28	12296	schema	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:16
S29	2438	abstract near3 class	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:17
S30	84242	query sql	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:18
S31	492	S28 and S29 and S30	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:18
S32	257	S31 and (@ad<"20010731")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:18
S33	61	S32 and (UML or (unified adj modeling) or XMI or (markup with language with meta with interchange))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/03 12:20

[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)



[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 307,000 for xmi. (0.09 seconds)

XMI Editor (UML Syntax)

www.altova.com Edit XML Metadata Exchange Docs! Validation & Syntax Help, Free D/L.

Sponsored Links

Sponsored Links

XMI - Men's fine neckwear

www.xmi.com XMI Ties are hand crafted in the U.S.A. \$65.00 and up.

Xmi at NORDSTROM

Shop a wide selection of top brand: \$5 shipping & free in-store returns
www.nordstrom.com

XML Metadata Interchange

There are 2 versions of the XMI specification, as follows:. Version 1.2: Defines the main purpose of XMI, which is to enable easy interchange of metadata ...
www.omg.org/technology/documents/formal/xmi.htm - 9k - [Cached](#) - [Similar pages](#)

Xmi

Products and information about Xmi.
eBay.com

CORBA, XML and XMI Resource Page

XML Metadata Interchange - The new OMG standard combining UML and XML, IBM ...
 IBM WebSphere, VisualAge for Java and XMI for Rose toolkit ...
www.omg.org/technology/xml/ - 10k - [Cached](#) - [Similar pages](#)
[\[More results from www.omg.org \]](#)

Cover Pages: XML Metadata Interchange (XMI)

The main purpose of XMI is to enable easy interchange of metadata between ... The XML Metadata Interchange Format (XMI) was proposed in response to an ...
www.oasis-open.org/cover/xmi.html - 92k - [Cached](#) - [Similar pages](#)

Objects by Design: Transforming XMI to HTML

Using XSL to transform an object-oriented design described in XMI (UML) to a browser-based HTML representation. Additional information on CSS is provided.
www.objectsbydesign.com/projects/xmi_to_html.html - 27k - [Cached](#) - [Similar pages](#)

alphaWorks : XMI Toolkit : Overview

Java software enabling sharing of Java objects using XML. Includes DTD generation and code/design interchange among Java, UML, and Rational Rose.
www.alphaworks.ibm.com/tech/xmitoolkit - 20k - Sep 1, 2005 - [Cached](#) - [Similar pages](#)

alphaWorks : XMI Framework : Overview

A simple Java API for saving and loading XMI files, creating XMI DTDs, and teaching XMI.
www.alphaworks.ibm.com/tech/xmiframework - 20k - [Cached](#) - [Similar pages](#)

XMI Reference

A complete reference which can be downloaded for off-line use, by Zvon.
www.zvon.org/xxl/XMI/Output/ - 2k - Sep 1, 2005 - [Cached](#) - [Similar pages](#)

XML Metadata Interchange (XMI)

The main purpose of XMI is to enable easy interchange of metadata between modeling tools (based on the OMG UML) and metadata repositories (OMG MOF based) in ...
www.jeckle.de/xmi.htm - 37k - [Cached](#) - [Similar pages](#)

XMI (XML Metadata Interchange)


This is an update to the XMI The Toolkit, a Java component that converts UML information between Rational Rose Models and XMI-standard XML files. ...
www.xml.com/pub/rg/XMI_XML_Metadata_Interchange - 28k - Sep 1, 2005 - [Cached](#) - [Similar pages](#)

XMI - Mens and Boys Dress Shirts

(MI has grown to include Men's and Boys neckwear, men's, women's and boys sport shirts, Men's and boys dress shirts, Silk sleepwear, gift items and ...
[www.xmi.com/](#) - 8k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

xmi Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web

Results 1 - 10 of about 606,000 for **schema abstract class database**. (0.09 seconds)

AD Schema

All **databases** have a **schema** which is a formal definition (set of rules) which

.. **Abstract class (2)** - A **class** that can't be an object, but is used to pass ...

www.comptechdoc.org/os/windows/win2k/win2kadschema.html - 17k - [Cached](#) - [Similar pages](#)

Building a Database Schema Diagram Editor with GEF

To illustrate, this article uses a relational **database schema** diagram editor with a

.. public **abstract class** PropertyAwareObject implements Serializable ...

www.eclipse.org/articles/Article-GEF-editor/gef-schema-editor.html - 53k - [Cached](#) - [Similar pages](#)

Understanding Active Directory Services

Top is an **Abstract class**, one of three **class** types in LDAP. They are as follows:

.. A **schema** defines the content and structure of the LDAP **database**. ...

www.awprofessional.com/articles/article.asp?p=101405&seqNum=6 - 32k - [Cached](#) - [Similar pages](#)

Uses of Package com.webobjects.eoaccess (WebObjects 5.3 Reference)

EOAccessGenericFaultHandler is an **abstract class** that helps an ... introduced to

define API to synchronize a **database schema** with a corresponding EOModel. ...

developer.apple.com/documentation/WebObjects/Reference/API/com/webobjects/eoaccess/package-use.html - 34k -

[Cached](#) - [Similar pages](#)

com.webobjects.eoaccess (WebObjects 5.3 Reference)

EOAdaptor is an **abstract class** that provides concrete subclasses with a ...

EOModel is a **class** that represents a mapping between a **database schema** and a set ...

developer.apple.com/documentation/WebObjects/Reference/API/com/webobjects/eoaccess/package-summary.html -

28k - [Cached](#) - [Similar pages](#)

Design Goals for XML in the .NET Framework (.NET Framework ...)

The XmlSchema **class** represents an XSD **schema**. These **schemas** can be loaded ...

.NET Framework is extensible through the use of the **abstract base classes** and ...

msdn.microsoft.com/library/en-us/cpguide/html/cpconDesignGoalsForXMLFrameworkInNET.asp - 21k - [Cached](#) - [Similar pages](#)

Design: Place XML Message Design Ahead of Schema Planning to ...

If you were about to design a **database schema**, you probably wouldn't let your

... Web Service so that it inherits from the WeatherInterface **abstract class**. ...

msdn.microsoft.com/msdnmag/issues/02/12/WebServicesDesign/default.aspx - 39k - [Cached](#) - [Similar pages](#)

Java Pro - Mapping Classes to Relational Tables

.. the process of mapping the data model to the physical **database schema** may ...

Entities that will not be instantiated become **abstract classes** and those ...

www.ftponline.com/javapro/2004_04/online/rjensen_04_28_04/default_pf.aspx - 21k - [Cached](#) - [Similar pages](#)

The Code Project - Browsing MS SQL Server Desktop Engine using ...

Browse MS SQL Server Information **Schema** Catalog. ... The **database class** (CMDatabase)

opens and holds a connection as well as arrays of tables, ...

www.codeproject.com/cs/database/MSDEInfoSchema.asp - 37k - Sep 1, 2005 - [Cached](#) - [Similar pages](#)

Developing CMP 2.0 Entity Beans


CMP 2.0 supports an **abstract persistence schema** that separates the client view

of persistence from the ... CMP 2.0 beans must be declared an **abstract class**. ...

www.phptr.com/articles/article.asp?p=29323 - 27k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**




Free! Instantly find your email, files, media and web history. [Download now.](#)

schema abstract class database Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about 2,100,000 for **object oriented database description**. (0.12 seconds)**Elsevier.com - Readings in Object-Oriented Database Systems**

Description This comprehensive collection is a survey of research in ... Readings in **Object-Oriented Database Systems** Edited by Stanley B. Zdonik and David ...
www.elsevier.com/wps/product/cws_home/680781 - 59k - [Cached](#) - [Similar pages](#)

Elsevier.com - Object-Oriented Database Design Clearly Explained

Description **Object-oriented database** management systems are growing in popularity, thanks to changing corporate needs and the emergence of several viable ...
www.elsevier.com/wps/product/cws_home/675288 - 58k - [Cached](#) - [Similar pages](#)
[\[More results from www.elsevier.com \]](#)

Sponsored Links**Object Oriented Database**

Get Rapid App Development
 Caché - Free OODBMS Download
www.intersystems.com/match25

Object-Oriented Database

Please proceed to the **Object-Oriented Database Technology Description**. For best results with this document, download Netscape Navigator or Microsoft ...
www.sei.cmu.edu/str/descriptions/oodatabase.html - 2k - [Cached](#) - [Similar pages](#)

Description logics for semantic query optimization in object ...

The first is a **Description Logic**, ODL RE , providing a type system capable of ... Semantic query optimization in deductive **object-oriented databases**. ...
portal.acm.org/citation.cfm?id=762472 - [Similar pages](#)

Object flavor evolution in an object-oriented database system

The PKM **object-oriented** modelling constructs and operations are presented, ... 10
 Michael Hammer , Dennis McLeod, **Database description** with SDM: a semantic ...
portal.acm.org/citation.cfm?id=45439 - [Similar pages](#)

Data Access Patterns: Database Interactions in Object-Oriented ...

Data Access Patterns: **Database** Interactions in **Object-Oriented** Applications ... Related patterns and Technology. Active Domain **Object**. **Description**. Context. ...
www.awprofessional.com/title/0131401572 - 43k - [Cached](#) - [Similar pages](#)

Object-Oriented Database Application Development Course

Course Description. Prerequisites:. The relational **database** course taught ... For Option 2, any one of several books on **object-oriented database** systems ...
ism7.cs.byu.edu/CS552/CS552.html - 23k - [Cached](#) - [Similar pages](#)

Why Aren't You Using An Object Oriented Database Management System?

The **Object Oriented Database** Manifesto [Atk 89] specifically lists the following ... From the aforementioned **description**, an OODBMS should be able to store ...
www.25hoursaday.com/WhyArentYouUsingAnOODBMS.html - 35k - [Cached](#) - [Similar pages](#)

Course description 1998/99 2D1970 Object Oriented Database Systems

Course description 1998/99. 2D1970 **Object Oriented Database** Systems ... Advanced course in computer science focusing **object oriented database** systems. ...
www.nada.kth.se/kurser/kth/2D1970/studieh-en.html - 7k - Sep 2, 2005 - [Cached](#) - [Similar pages](#)

Database Models: Hierarcical, Network, Relational, Object-Oriented ...

Object-Oriented Model. **Object DBMSs** add **database** functionality to **object** ... According to Rao (1994), "The **object-oriented database** (OODB) paradigm is the ...
unixspace.com/context/databases.html - 19k - [Cached](#) - [Similar pages](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google